

MUSIC
July 23, 2013

I. PROGRAM REQUIREMENTS

Refer to the project-specific Schedule of Spaces for student stations, square footage, and any requirements that may differ from the prototype requirements listed below:

- 1 Classroom
- 1 Material Storage Room

II. PROGRAM FURNITURE AND EQUIPMENT

Refer to the Furniture and Equipment List for Owner-provided furniture and equipment.

III. SPECIFIC CONSIDERATIONS

1. Heating/Ventilation/Air Conditioning

Standard, refer to the General Design Requirements section.

2. Acoustical

Standard, refer to the General Design Requirements section.

3. Floor

Standard, refer to the General Design Requirements section.

4. Walls

Provide acoustical wall panels as required on the walls in the Classroom, mounted at six (6) feet above the floor or higher.

5. Ceiling

Provide a 10' high ceiling in the Music Classroom.

6. Lighting

Standard, refer to the General Design Requirements section.

7. Windows

Standard, refer to the General Design Requirements section.

8. Doors

Standard, refer to the General Design Requirements section.

9. Water

Provide one (1) sink with cold water in the Classroom.

10. Communications

Classroom

Provide a clock, intercom speaker and intercom handset in accordance with SDHC standards.

Provide two (2) AV speakers, mounted on each side of the markerboard.

Provide data and AV connections and associated power outlets, in accordance with the General Design Requirements section and SDHC standards.

11. Electrical

Provide two (2) duplex outlets above the countertop in the Classroom.

12. Gas and Air

Not applicable

13. Safety

Standard, refer to the General Design Requirements section.

14. Fencing

Not applicable

15. Service Drives

Not applicable

16. Parking

Not applicable

17. Contractor-Provided Equipment and Casework

Classroom

Provide twelve (12) linear feet of base and wall cabinets, to include the sink and one (1) adjacent bank of graduated drawers, countertop to be 30" above the floor.

Material Storage Room

Provide three (3) general storage cabinets, see SDHC standard detail.

18. Contractor-Provided Instructional Aids

Classroom

Provide a 12' wide x 5' high regular markerboard with an 8' wide x 5' high music staff-lined markerboard on one (1) side, a 4' wide x 5' high tackboard on the other side and a 1' high continuous tack strip above, bottom to be mounted 24" above the floor.

Install an owner-provided projector and mounting bracket, centered on the wall over the markerboard.

19. Other Considerations

The required public toilet rooms are to be located in close proximity to the Multi-Purpose Room and Music Classroom, and are to be easily accessible from the Stage for use by performers during performances.

Provide a corridor to connect the Multi-Purpose Room to the Music Room and provide ramp access to the stage within this corridor.

Provide two entry doors into the Music Classroom to facilitate class changes.

SPACE RELATIONSHIPS

