

GIFTED
June 25, 2012

I. PROGRAM REQUIREMENTS

Refer to the project-specific Schedule of Spaces for student stations, square footage, and any requirements that may differ from the prototype requirements listed below:

- 2 Gifted Classrooms
- 2 Student Toilet Rooms (boys/girls)

II. PROGRAM FURNITURE AND EQUIPMENT

Refer to the Furniture and Equipment List for Owner-provided furniture and equipment.

III. SPECIFIC CONSIDERATIONS

1. Heating/Ventilation/Air Conditioning

Standard, refer to the General Design Requirements section.

2. Acoustical

Standard, refer to the General Design Requirements section.

3. Floor

Standard, refer to the General Design Requirements section.

4. Walls

Standard, refer to the General Design Requirements section.

5. Ceiling

Standard, refer to the General Design Requirements section.

6. Lighting

Standard, refer to the General Design Requirements section.

7. Windows

Standard, refer to the General Design Requirements section.

8. Doors

Provide an opening (no door) between the Classrooms.

9. Water

General

Provide one (1) electric water cooler for the pair of Classrooms, mounted 30" above the floor to the bubbler, located near the Student Toilet Rooms.

Classrooms (each)

Provide one (1) sink with hot and cold water.

Student Toilet Rooms (each)

Provide one (1) toilet and one (1) wall-mounted lavatory with cold water.

10. Communications

Classrooms (each)

Provide a clock, intercom speaker and intercom handset in accordance with SDHC standards.

Provide two (2) AV speakers, mounted on each side of the markerboard.

Provide data and AV connections and associated power outlets, in accordance with the General Design Requirements section and SDHC standards.

11. Electrical

Provide two (2) duplex outlets above the countertop in each Classroom.

12. Gas and Air

Not applicable

13. Safety

Standard, refer to the General Design Requirements section.

14. Fencing

Not applicable

15. Service Drives

Not applicable

16. Parking

Not applicable

17. Contractor-Provided Equipment and Casework

Classrooms (each)

Provide nine (9) linear feet of base and wall cabinet, to include the sink and one (1) adjacent bank of graduated drawers, countertop to be 36" above the floor.

Provide one (1) general storage cabinet, see SDHC standard detail.

18. Contractor-Provided Instructional Aids

Classrooms (each)

Provide an 8' wide x 5' high regular markerboard with a 4' wide x 5' high grid markerboard on one (1) side (grid to be 2" x 2"), a 4' wide x 5' high tackboard on the other side, and a 1' high continuous tack strip above, bottom to be mounted 24" above the floor.

On an adjacent wall provide a self-healing tackable wall surface which extends from the top of the base to the ceiling and covers the entire wall from corner to corner.

Install an owner-provided projector and mounting bracket, centered on the wall over the markerboard.

19. Other Considerations

Gifted Classrooms are to be paired, so that the Student Toilet Rooms can be assigned as "Boys" and "Girls" and are accessible to students from both Classrooms.

SPACE RELATIONSHIPS

