

**EXCEPTIONAL STUDENT EDUCATION:  
INTELLECTUAL DISABILITIES:  
EDUCABLE MENTALLY HANDICAPPED (EMH)**

June 25, 2012

**I. PROGRAM REQUIREMENTS**

Refer to the project-specific Schedule of Spaces for student stations, square footage, and any requirements that may differ from the prototype requirements listed below:

- 1 Classroom
- 1 Student Toilet Room

**II. PROGRAM FURNITURE AND EQUIPMENT**

Refer to the Furniture and Equipment List for Owner-provided furniture and equipment.

**III. SPECIFIC CONSIDERATIONS**

**1. Heating/Ventilation/Air Conditioning**

Standard, refer to the General Design Requirements section.

**2. Acoustical**

Standard, refer to the General Design Requirements section.

**3. Floor**

Standard, refer to the General Design Requirements section.

**4. Walls**

Standard, refer to the General Design Requirements section.

**5. Ceiling**

Standard, refer to the General Design Requirements section.

**6. Lighting**

Standard, refer to the General Design Requirements section.

**7. Windows**

Standard, refer to the General Design Requirements section.

**8. Doors**

Standard, refer to the General Design Requirements section.

**9. Water**

Classroom

Provide one (1) sink with cold water.

Provide one (1) electric water cooler, mounted 30" above the floor to the bubbler, located near the Student Toilet Room.

Student Toilet Room

Provide one (1) toilet and one (1) wall-mounted lavatory with cold water.

Provide one (1) hose bibb and floor drain.

**10. Communications**

Classroom

Provide a clock, intercom speaker and intercom handset in accordance with SDHC standards.

Provide two (2) AV speakers, mounted on each side of the markerboard.

Provide data and AV connections and associated power outlets, in accordance with the General Design Requirements section and SDHC standards.

**11. Electrical**

Standard, refer to the General Design Requirements section.

**12. Gas and Air**

Not applicable

**13. Safety**

Standard, refer to the General Design Requirements section.

**14. Fencing**

Not applicable

**15. Service Drives**

Not applicable

**16. Parking**

Not applicable

**17. Contractor-Provided Equipment and Casework**

Classroom

Provide nine (9) linear feet of lockable base and wall cabinet, to include the sink and one (1) adjacent bank of lockable graduated drawers, countertop to be 36" above the floor.

Provide one (1) lockable storage cabinet, 36" wide x 24" deep x 84" high, with space on one (1) side for the storage of ironing boards and five (5) adjustable shelves on the other side.

Provide one (1) lockable tote tray storage cabinet, 24" wide x 24" deep x 84" high with twelve (12) fixed shelves and center divider, complete with tote trays. Tote trays are to be 10 1/2" side x 19" long x 3 1/2" deep, molded plastic.

Provide one (1) kneespace, 36" wide x 30" high, with lockable pencil drawer, mirror, and one (1) adjacent bank of lockable graduated drawers.

**18. Contractor-Provided Instructional Aids**

Classroom

Provide a 12' wide x 5' high markerboard with a 4' wide x 5' high tackboard on one (1) side and a 1' high continuous tack strip above, bottom to be mounted 24" above the floor.

On an adjacent wall provide a self-healing tackable wall surface which extends from the top of the base to the ceiling and covers the entire wall from corner to corner.

Provide an 18" wide x 60" high framed mirror near the Student Toilet Room, bottom mounted 18" above the floor.

Install an owner-provided projector and mounting bracket, centered on the wall over the markerboard.

**19. Other Considerations**

The EMH Classroom should be located in either the Primary Classroom area or in the Intermediate Classroom area. If two (2) EMH Classrooms are provided, provide one in each area.

# SPACE RELATIONSHIPS

