

EXCEPTIONAL STUDENT EDUCATION: EH/SLD RESOURCE ROOMS

June 25, 2012

I. PROGRAM REQUIREMENTS

Refer to the project-specific Schedule of Spaces for student stations, square footage, and any requirements that may differ from the prototype requirements listed below:

- 2 EH/SLD Resource Rooms

II. PROGRAM FURNITURE AND EQUIPMENT

Refer to the Furniture and Equipment List for Owner-provided furniture and equipment.

III. SPECIFIC CONSIDERATIONS

1. Heating/Ventilation/Air Conditioning

Standard, refer to the General Design Requirements section.

2. Acoustical

Standard, refer to the General Design Requirements section.

3. Floor

Standard, refer to the General Design Requirements section.

4. Walls

Standard, refer to the General Design Requirements section.

5. Ceiling

Standard, refer to the General Design Requirements section.

6. Lighting

Standard, refer to the General Design Requirements section.

7. Windows

Standard, refer to the General Design Requirements section.

8. Doors

Standard, refer to the General Design Requirements section.

9. Water

Provide one (1) sink with cold water in each Resource Room.

10. Communications

Resource Rooms (each)

Provide a clock, intercom speaker and intercom handset in accordance with SDHC standards.

Provide two (2) AV speakers, mounted on each side of the markerboard.

Provide data and AV connections and associated power outlets, in accordance with the General Design Requirements section and SDHC standards.

11. Electrical

Standard, refer to the General Design Requirements section.

12. Gas and Air

Not applicable

13. Safety

Standard, refer to the General Design Requirements section.

14. Fencing

Not applicable

15. Service Drives

Not applicable

16. Parking

Not applicable

17. Contractor-Provided Equipment and Casework

Resource Rooms (each)

Provide six (6) linear feet of lockable base and wall cabinets, to include the sink and one (1) adjacent bank of lockable graduated drawers, countertop to be 30" above the floor

Provide one (1) knee-space, 36" wide x 30" high, with a lockable pencil drawer and one (1) adjacent lockable 2-drawer file cabinet.

Provide one (1) general storage cabinet, see SDHC standard detail.

18. Contractor-Provided Instructional Aids

Resource Rooms (each)

Provide a 12' wide x 5' high markerboard with a 4' wide x 5' high tackboard on one (1) side and a 1' high continuous tack strip above, bottom to be mounted 24" above the floor.

On an adjacent wall provide a self-healing tackable wall surface which extends from the top of the base to the ceiling and covers the entire wall from corner to corner.

Install an owner-provided projector and mounting bracket, centered on the wall over the markerboard.

19. Other Considerations

Provide one (1) EH/SLD Resource Room in the Primary Classroom area and one (1) EH/SLD Resource Room in the Intermediate Classroom area.

SPACE RELATIONSHIPS

