

# **MULTI-PURPOSE ROOM**

July 23, 2013

## **I. PROGRAM REQUIREMENTS**

Refer to the project-specific Schedule of Spaces for student stations, square footage, and any requirements that may differ from the prototype requirements listed below:

- 1 Multi-Purpose Room
- 1 Stage
- 1 Chair Storage Room
- 1 Stage Storage Room
- 2 Public Toilet Rooms (boys/girls)

## **II. PROGRAM FURNITURE AND EQUIPMENT**

Refer to the Furniture and Equipment List for Owner-provided furniture and equipment.

## **III. SPECIFIC CONSIDERATIONS**

### **1. Heating/Ventilation/Air Conditioning**

Standard, refer to the General Design Requirements section.

### **2. Acoustical**

Standard, refer to the General Design Requirements section.

### **3. Floor**

Provide no-wax VCT on the Stage.

Provide standard flooring elsewhere, in accordance with the General Design Requirements section.

### **4. Walls**

The Multi-Purpose Room and the adjacent Student Dining Room are to be designed as one space, with no wall separation between them.

### **5. Ceiling**

Provide a 10' high ceiling in the Multi-Purpose Room.

Provide painted exposed structure over the Stage.

### **6. Lighting**

Provide a stage lighting system in the Multi-Purpose room.

### **7. Windows**

Standard, refer to the General Design Requirements section.

**8. Doors**

Provide double doors between the Multi-Purpose Room and the P.E. Storage Room.  
Provide double doors between the Stage and the Stage Storage Room. The doors from the Stage into the Stage Storage Room are to be located on the side wall of the Stage.

**9. Water**

Provide the number of toilet fixtures and wall-mounted lavatories with cold water as required for the projected occupancy in the Public Toilet Rooms.  
Provide one (1) hose bibb and floor drains, number as required, in the Public Toilet Rooms.

**10. Communications**

Provide a clock, intercom speaker(s), and intercom handset in the Multi-Purpose Room.  
Provide data and AV connections and associated power outlets for the projector, in accordance with the General Design Requirements section and SDHC standards.  
Provide a data outlet with adjacent power outlet in the Multi-Purpose Room, in accordance with the General Design Requirements section and SDHC standards.  
In addition to the school-wide intercom system, provide a public address system complete with speakers and portable sound mixer in the Multi-Purpose Room, in accordance with SDHC standards.  
Provide two (2) microphone jacks to be controlled by the portable sound mixer in the Multi-Purpose Room, locate as directed.

**11. Electrical**

Provide one (1) floor outlet on the Stage, in front of the curtain, center stage.

**12. Gas and Air**

Not applicable

**13. Safety**

Provide a bracket mounted fire extinguisher on the Stage.

**14. Fencing**

Not applicable

**15. Service Drives**

Not applicable

**16. Parking**

Not applicable

**17. Contractor-Provided Equipment and Casework**

Multi-Purpose Room

Provide stage curtains (front curtain and valance only) at the stage.

**18. Contractor-Provided Instructional Aids**

Multi-Purpose Room

Provide a 6' wide x 5' high regular markerboard with an 6' wide x 5' high music staff-lined markerboard on one (1) side, a 4' wide x 5' high tackboard on the other side and a 1' high continuous tack strip above, bottom to be mounted 24" above the floor.

Provide a motorized 10' x 10' audio visual screen, mounted centered above the Stage, in front of the stage curtain.

Install an owner-provided projector and mounting bracket, ceiling mounted at the audio visual screen.

**19. Other Considerations**

The required public toilet rooms are to be located in close proximity to the Multi-Purpose Room and Music Classroom, and are to be easily accessible from the Stage for use by performers during performances.

Provide a corridor to connect the Multi-Purpose Room to the Music Room and provide ramp access to the stage within this corridor.

# SPACE RELATIONSHIPS

