

HEALTH SCIENCE EDUCATION

February 3, 2014

I. PROGRAM REQUIREMENTS

Refer to the project-specific Schedule of Spaces for student stations, square footage, and for any requirements that may differ from the prototype requirements listed below:

- 1 Laboratory
- 1 Material Storage Room

II. PROGRAM FURNITURE AND EQUIPMENT

Refer to the Furniture and Equipment List for Owner-provided furniture and equipment.

III. SPECIAL CONSIDERATIONS

1. Heating/Ventilation/Air Conditioning

Standard, in accordance with the General Design Requirements section.

2. Acoustical

Standard, in accordance with the General Design Requirements section.

3. Floor

Standard, in accordance with the General Design Requirements section.

4. Walls

Standard, in accordance with the General Design Requirements section.

5. Ceiling

Standard, in accordance with the General Design Requirements section.

6. Lighting

Standard, in accordance with the General Design Requirements section.

7. Windows

Standard, in accordance with the General Design Requirements section.

8. Doors

Standard, in accordance with the General Design Requirements section.

9. Water

Provide one (1) medical-type, double sink with hot and cold water, hand and knee controls, and gooseneck faucet in the Laboratory.

10. Communications

Provide a clock, intercom speaker and intercom handset in the Laboratory.
Provide data and AV connections and associated power outlets in the Laboratory, in accordance with the General Design Requirements section and SDHC standards.

11. Electrical

Provide two (2) duplex outlets above the countertop in the Laboratory.

12. Gas and Air

Not applicable

13. Safety

Standard, in accordance with the General Design Requirements section.

14. Fencing

Not applicable

15. Service Drives

Not applicable

16. Parking

Not applicable

17. Contractor-Provided Equipment and Casework

Laboratory

Provide nine (9) linear feet of lockable base and wall cabinets, to include the double sink and one (1) adjacent bank of lockable graduated drawers, countertop to be 36" above the floor.

Install an owner-provided projector and mounting bracket, centered on the wall over the markerboard.

18. Contractor-Provided Instructional Aids

Laboratory

Provide a 12' wide x 4' high markerboard with 4' wide x 4' high tackboard on one (1) side, bottom to be mounted 36" above the floor.

19. **Other Considerations**

Not applicable

SPACE RELATIONSHIPS

