

MULTI-PURPOSE ROOM

February 3, 2014

1. PROGRAM REQUIREMENTS

Refer to the project-specific Schedule of Spaces for student stations, square footage, and for any requirements that may differ from the prototype requirements listed below:

- 1 Multi-Purpose Room
- 1 Stage
- 1 Chair Storage Room
- 2 Public Toilet Rooms (boys/girls)

II. PROGRAM FURNITURE AND EQUIPMENT

Refer to the Furniture and Equipment List for Owner-provided furniture and equipment.

III. SPECIAL CONSIDERATIONS

1. Heating/Ventilation/Air Conditioning

Standard, refer to the General Design Requirements section.

2. Acoustical

Standard, refer to the General Design Requirements section.

3. Floor

Provide no-wax VCT or other low maintenance flooring on the Stage.

Provide standard flooring elsewhere, in accordance with the General Design Requirements section.

4. Walls

The Multi-Purpose Room and the adjacent Student Dining Room are to be designed as one space, with no wall separation between them.

5. Ceiling

Provide a 10' high ceiling in the Multi-Purpose Room.

Provide painted exposed structure over the Stage.

6. Lighting

Provide a stage lighting system in the Multi-Purpose Room.

7. Windows

Standard, refer to the General Design Requirements section.

8. Doors

Standard, refer to the General Design Requirements section.

9. Water

Provide two (2) electric water coolers in the Multi-Purpose Room, located near the main entry doors.

Provide fire protection in accordance with code requirements.

Provide the number of toilet fixtures and wall-mounted lavatories with cold water as required for the projected occupancy in the Public Toilet Rooms.

Provide one (1) hose bibb and floor drains, number as required, in the Public Toilet Rooms.

10. Communications

Provide a clock, intercom speaker and intercom handset in the Multi-Purpose Room.

In addition to the intercom system above, provide a public address system complete with speakers and portable sound mixer in the Multi-Purpose Room, in accordance with SDHC standards.

Provide three (3) microphone jacks to be controlled by the portable sound mixer in the Multi-Purpose Room, locate as directed.

Provide AV connections and associated power outlets, in accordance with the General Design Requirements section and SDHC standards.

Provide two (2) quadraplex data outlets with adjacent power outlet in the Multi-Purpose Room, in accordance with SDHC standards.

11. Electrical

Provide one (1) floor outlet on the Stage, in front of the curtain, center stage.

12. Gas and Air

Not applicable

13. Safety

Provide a bracket mounted fire extinguisher on the Stage.

14. Fencing

Not applicable

15. Service Drives

Not applicable

16. Parking

Not applicable

17. Contractor-Provided Equipment and Casework

Multi-Purpose Room

Provide stage curtains (front, back, and 2 fly curtains each side).

18. Contractor-Provided Instructional Aids

Multi-Purpose Room

Provide a 12' wide x 4' high markerboard with a 4' wide x 4' high tackboard on one (1) side, bottom to be mounted 36" above the floor.

Install an owner-provided projector and mounting bracket, centered on the wall over the markerboard.

Provide a motorized 10' x 10' audio visual screen, mounted centered above the Stage, in front of the stage curtain.

Install an owner-provided projector and mounting bracket, ceiling mounted at the motorized AV screen.

19. Other Considerations

The required public toilet rooms are to be located in close proximity to the Multi-Purpose Room and are to be easily accessible from the Stage for use by performers during performances.

Provide an interior circulation space containing a ramp up to the stage, located so as to provide access to the stage area behind the main stage curtain. This area is to be separated from the Multi-Purpose Room by a partition with a door to allow performers to gather in this area without being visible to the audience.

SPACE RELATIONSHIPS

