

**EXCEPTIONAL STUDENT EDUCATION:
SEVERELY EMOTIONALLY DISTURBED (SED)**

September 30, 2010

I. PROGRAM REQUIREMENTS

Refer to the project-specific Schedule of Spaces for student stations, square footage, and for any requirements that may differ from the prototype requirements listed below:

- 1 Classroom
- 1 Student Toilet Room

II. PROGRAM FURNITURE AND EQUIPMENT

Refer to the Furniture and Equipment List for Owner-provided furniture and equipment.

III. SPECIAL CONSIDERATIONS

1. Heating/Ventilation/Air Conditioning

Provide exhaust for the Owner-provided clothes dryer.

2. Acoustical

Standard, refer to the General Design Requirements Section.

3. Floor

Standard, refer to the General Design Requirements Section.

4. Walls

Standard, refer to the General Design Requirements Section.

5. Ceiling

Standard, refer to the General Design Requirements Section.

6. Lighting

Standard, refer to the General Design Requirements Section.

7. Windows

Standard, refer to the General Design Requirements Section.

8. Doors

Provide passage hardware on the Student Toilet Room door.

9. Water

Classroom

Provide one (1) double sink with hot and cold water, located near the kitchen equipment.

Laundry Area

Provide connections for the Owner-provided washing machine.

Student Toilet Room

Provide one (1) toilet and one (1) wall-mounted lavatory with cold water.

Provide one (1) hose bibb and floor drain.

10. Communications

Provide a clock, speaker, and intercom handset in the Classroom.

Provide a data outlet with adjacent power outlet in the Classroom, in accordance with the General Design Requirements section and SDHC standards.

Provide a TV bracket with DVD/VCR bracket, CCTV jack, and adjacent power outlet in the Classroom, in accordance with SDHC standards.

11. Electrical

Standard, refer to the General Design Requirements Section.

Provide a disconnect switch for the range, located near the range in the Classroom.

12. Gas and Air

Not applicable

13. Safety

Provide a fire extinguisher in a recessed cabinet, located near the range in the Classroom.

14. Fencing

Not applicable

15. Service Drives

Not applicable

16. Parking

Not applicable

17. Contractor-Provided Equipment and Casework

Classroom

Provide twelve (12) linear feet of lockable base and wall cabinets, to include the sink and one (1) adjacent bank of lockable graduated drawers, countertop to be 36" above the floor. The kitchen equipment is to be located in this area.

Provide one (1) range with oven and hood.

Provide (1) dishwasher.

Provide one (1) under-counter type refrigerator with freezer compartment.

18. Contractor-Provided Instructional Aids

Classroom

Provide a 12' wide x 4' high markerboard with a 4' wide x 4' high tackboard on one (1) side, bottom to be mounted 36" above the floor.

Provide a wall-mounted audio-visual projection screen, approximately 70" x 70", centered over the markerboard.

19. Other Considerations

Depending on the number and type of ESE programs selected for this facility, some classrooms may not require the kitchen appliances noted herein. Confirm specific project requirements with SDHC project coordinator.

SPACE RELATIONSHIPS

