

# **SCHOOL STORE**

January 20, 2005

## **I. PROGRAM REQUIREMENTS**

Refer to the project-specific Schedule of Spaces for student stations, square footage, and for any requirements that may differ from the prototype requirements listed below:

- 1 School Store

## **II. PROGRAM FURNITURE AND EQUIPMENT**

Refer to the Furniture and Equipment List for Owner-provided furniture and equipment.

## **III. SPECIAL CONSIDERATIONS**

### **1. Heating/Ventilation/Air Conditioning**

Standard, in accordance with the General Design Requirements section.

### **2. Acoustical**

Standard, in accordance with the General Design Requirements section.

### **3. Floor**

Standard, in accordance with the General Design Requirements section.

### **4. Walls**

Standard, in accordance with the General Design Requirements section.

### **5. Ceiling**

Standard, in accordance with the General Design Requirements section.

### **6. Lighting**

Standard, in accordance with the General Design Requirements section.

### **7. Windows**

Provide an exterior window.

### **8. Doors**

Standard, in accordance with the General Design Requirements section.  
Provide a half-glass door between the School Store and the Sales Merchandising Laboratory (if provided).

### **9. Water**

Not applicable

**10. Communications**

Provide a clock, speaker and intercom handset in the School Store.  
Provide a voice/data outlet with adjacent power outlet, located near the cash register, in accordance with SDHC standards.

**11. Electrical**

Standard, in accordance with the General Design Requirements section.

**12. Gas and Air**

Not applicable

**13. Safety**

Standard, in accordance with the General Design Requirements section.

**14. Fencing**

Not applicable

**15. Service Drives**

Not applicable

**16. Parking**

Not applicable

**17. Contractor-Provided Equipment and Casework**

School Store

Provide a lighted base cabinet to serve as a display counter, 36" high x 24" deep x length as required, with a plastic laminate top and fixed glass front. Doors are to be operable and lockable from the service side. Provide two (2) glass shelves inside the cabinet. Provide a flip-top to restrict access to the area behind the counter.

Provide solid lockable base cabinets along the back wall of the School Store, behind the service counter, with wall cabinets above. Wall cabinets are to be provided with glass doors and shelves.

**18. Contractor-Provided Instructional Aids**

Not applicable

**19. Other Considerations**

Not applicable

# SPACE RELATIONSHIPS

