

# **FASHION PRODUCTION**

September 30, 2010

## **I. PROGRAM REQUIREMENTS**

Refer to the project-specific Schedule of Spaces for student stations, square footage, and for any requirements that may differ from the prototype requirements listed below:

- 1 Laboratory
- 1 Material Storage Room
- 1 Laundry Room
- 1 Fitting/Dressing Room

## **II. PROGRAM FURNITURE AND EQUIPMENT**

Refer to the Furniture and Equipment List for Owner-provided furniture and equipment.

## **III. SPECIAL CONSIDERATIONS**

### **1. Heating/Ventilation/Air Conditioning**

Provide exhaust for the owner-provided clothes dryer in the Laundry Room.

### **2. Acoustical**

Standard, in accordance with the General Design Requirements section.

### **3. Floor**

Standard, in accordance with the General Design Requirements section.

### **4. Walls**

Standard, in accordance with the General Design Requirements section.

### **5. Ceiling**

Standard, in accordance with the General Design Requirements section.

### **6. Lighting**

Standard, in accordance with the General Design Requirements section.

### **7. Windows**

Standard, in accordance with the General Design Requirements section.

### **8. Doors**

Standard, in accordance with the General Design Requirements section.

**9. Water**

Laboratory

Provide one (1) double sink with hot and cold water, minimum 10" depth.

Laundry Room

Provide one (1) laundry tub with hot and cold water.

Provide water supply and drainage for the owner-provided washing machine.

**10. Communications**

Provide a clock, speaker and intercom handset in the Laboratory.

Provide six (6) floor boxes in the Laboratory, each containing a quadraplex data and quadraplex power outlet, located as directed, in accordance with the General Design Requirements section and SDHC standards.

Provide a TV bracket with DVD/VCR bracket, CCTV jack, and adjacent power outlet in the Laboratory, in accordance with SDHC standards.

**11. Electrical**

Provide six (6) floor boxes, spaced on approximately a four (4) foot grid on one side of the Laboratory, each containing a quadraplex data and quadraplex power outlet, in accordance with the General Design Requirements section and SDHC standards.

Provide four (4) duplex outlets above the countertop.

Provide power for the owner-provided clothes dryer in the Laundry Room.

**12. Gas and Air**

Not Applicable

**13. Safety**

Provide a fire extinguisher in a recessed cabinet in the Laboratory.

**14. Fencing**

Not Applicable

**15. Service Drives**

Not Applicable

**16. Parking**

Not Applicable

**17. Contractor-Provided Equipment and Casework**

Laboratory

Provide one (1) storage cabinet, 36" wide x 24" deep x 84" high, with 36" high closed base cabinet on the bottom and two (2) open adjustable shelves above.

Provide three (3) linear feet of base and wall cabinets, to include the double sink and one (1) adjacent bank of graduated drawers, countertop to be 36" above the floor.

Provide one (1) knee-space, 36" wide x 30" high, with lockable pencil drawer and a 36" wide x 48" high pegboard mounted above.

**17. Contractor-Provided Equipment and Casework (continued)**

Laboratory (continued)

Provide two (2) lockable storage cabinets, 36" wide x 24" deep x 84" high, with a hanging rod and one (1) fixed shelf at the top.

Provide lockable wall cabinets above the owner-provided washer and dryer.

Provide four (4) lockable tote tray storage cabinets, 24" wide x 24" deep x 84" high, with twelve (12) fixed shelves and center divider, complete with tote trays. Tote trays are to be 10 1/2" wide x 19" long x 3 1/2" high, molded plastic.

Provide two (2) lockable storage cabinets, 48" wide x 24" deep x 84" high, with space on one (1) side for the storage of brooms and ironing boards and five (5) adjustable shelves on the other side.

Material Storage Room

Provide one (1) lockable storage cabinet, 36" wide x 24" deep x 84" high, with a hanging rod and one (1) fixed shelf at the top.

Provide two (2) general storage cabinets, in accordance with SDHC standard detail.

Provide one (1) unit of floor-supported library-type shelving, 36" wide x 24" deep x 90" high, with five (5) adjustable shelves.

Fitting/Dressing Room

Provide a tri-panel mirror, 72" high, center panel to be wall mounted, side panels to be hinged to center panel (adjustable).

**18. Contractor-Provided Instructional Aids**

Laboratory

Provide a 12' wide x 4' high markerboard with a 4' wide x 4' high tackboard on one (1) side, bottom to be mounted 36" above the floor.

Provide a wall-mounted audio-visual projection screen, approximately 70" x 70", centered over the markerboard.

**19. Other Considerations**

The Laboratory is to be provided with convenient access to the parking lot to facilitate the delivery of materials and supplies to the Laboratory.

# SPACE RELATIONSHIPS

